Reg. No	. :	•••••	•••••
WAR I			
Name:	••••	•••••	•••••



## SECOND YEAR HIGHER SECONDARY EXAMINATION, MARCH 2022

Part - III

Time: 2 Hours

**PHYSICS** 

Cool-off time: 15 Minutes

Maximum: 60 Scores

## General Instructions to Candidates:

- There is a 'Cool-off time' of 15 minutes in addition to the writing time.
- Use the 'Cool-off time' to get familiar with questions and to plan your answers.
- Read questions carefully before answering.
- Read the instructions carefully.
- Calculations, figures and graphs should be shown in the answer sheet itself.
- Malayalam version of the questions is also provided.
- Give equations wherever necessary.
- Electronic devices except non-programmable calculators are not allowed in the Examination Hall.

## വിദ്യാർത്ഥികൾക്കുള്ള പൊതുനിർദ്ദേശങ്ങൾ dance for Youth

- നിർദ്ദിഷ്ട സമയത്തിന് പുറമെ 15 മിനിറ്റ് 'കൂൾ ഓഫ് ടൈം' ഉണ്ടായിരിക്കും.
- 'കൂൾ ഓഫ് ടൈം' ചോദൃങ്ങൾ പരിചയപ്പെടാനും ഉത്തരങ്ങൾ ആസൂത്രണം ചെയ്യാനും ഉപയോഗിക്കുക.
- ഉത്തരങ്ങൾ എഴുതുന്നതിന് മുമ്പ് ചോദ്യങ്ങൾ ശ്രദ്ധാപൂർവ്വം വായിക്കണം.
- നിർദ്ദേശങ്ങൾ മുഴുവനും ശ്രദ്ധാപൂർവ്വം വായിക്കണം.
- കണക്ക് കൂട്ടലുകൾ, ചിത്രങ്ങൾ, ഗ്രാഫു<sup>കൾ</sup>, എന്നിവ ഉത്തരപേപ്പറിൽ തന്നെ ഉണ്ടായിരിക്കണം.
- ചോദൃങ്ങൾ മലയാളത്തിലും നല്ലിയിട്ടുണ്ട്.
- ആവശ്യമുള്ള സ്ഥലത്ത് സമവാകൃങ്ങൾ കൊടുക്കണം.
- പ്രോഗ്രാമുകൾ ചെയ്യാനാകാത്ത കാ<sup>ൽക്കുലേ</sup>റ്ററുകൾ ഒഴികെയുള്ള ഒരു ഇലക്ട്രോണിക് ഉപകരണവും പരീക്ഷാഹാളിൽ ഉപയോഗിക്കുവാൻ പാടില്ല.

## Answer any 5 questions from 1 to 9. Each carries 1 score.

 $(5 \times 1 = 5)$ 

1. SI unit of electric field

(a)

(c) C<sub>m</sub>

Name the force experienced by a charge q moving through a uniform magnetic field 2.

Changing magnetic fields can set up current loops in nearby metal bodies. They 3. dissipate electrical energy as heat. Such currents are

In purely inductive or capacitive circuit, power factor ( $\cos \phi$ ) is \_\_\_ 4.

- (a) 0
- (b) 1
- (c)



Relation between velocity of light (c), permeability of free space  $(\mu_0)$ , permittivity of 5. free space  $(\varepsilon_0)$  is \_\_\_\_\_.

(a) 
$$C = \frac{1}{\mu_0 \epsilon_0}$$

(a) 
$$C = \frac{1}{\mu_0 \epsilon_0}$$
 (b)  $C = \frac{1}{\sqrt{\mu_0 \epsilon_0}}$ 

(c) 
$$C = \mu_0 \varepsilon_0$$

(d) 
$$C = \sqrt{\mu_0 \varepsilon_0}$$

Light waves are \_\_\_\_ in nature. 6. (transverse, longitudinal)

Photons are electrically 7.

> (a) neutral

positive (b)

(c) negative (d) unpredictable

SY-24

2 ?

8.	The minimum energy required to free as atom is	n ele	ectron from the gro	und state of hydrogen
/2	(a) + 13.6 J	(b)	alle tolgeregeer	o main e tarage I
-(0				
		(4)	- 13.6 eV	ത്തിടയന്നുമ ന്യൂഖരമാ
9.	Complete the general equation of α-deca	v. (n	1	1-72 (5)
	$^{A}_{Z}X \longrightarrow \underline{\qquad} + ^{4}_{2}He$	i, (b	)	(c), (c)
	(a) $Z = 4Y$ in the contract of $Z = 4Y$ in the contract of $Z = 4Y$ (c) $Z = 4Y$	(b)	A-4 Z-2Y	ing a shape last
	(c) $X_{-2}^{-2}Y$	(d)	A Marothico en	ംപ്രെത്രത്ത വിഷ്ട്രം
			2+1-	
<b>B.</b>	Answer all questions from 10 to 13. Eac	ch cs	Pries 1 soons	$\frac{1}{2} \frac{1}{4} \times \frac{1}{4} = 4$
10.		ged	conductor must be r	
	hasa bara fulk ken maham jalata		e volument	
11.	. Magnitude of the drift velocity per unit el	ectri	c field is	angum sanar menus
				0
12.	HSA			agnetic is
	( )		ademy	
	(b) Absolute temperature utstanding G			
	(c) Curie temperature			
	ാ ന നാരവാക്യം ത്രാണ്	1.1	wate golgano er se	ar in latinique in an
13.	Optical fibres make use the phenomenon of	of	<del></del> * :	
	0304			(14)
	PART-	2		
A.	Answer any 2 questions from 14 to 17. E			$(2\times 2=4)$
14.	Draw the input and output waveform of a h	nalf-	wave rectifier.	Summer
			114,100	School of the many
15.	State Malus' law.		A TO THE STATE OF	to order to the period to the
16.	What is angle of dip?		Karan managa ur	make manager
	o mou			න්ලද්රිකුල 11
<b>17.</b>	A light bulb is rated at 100 W for a 220 V s	uppl	y. Find the resistan	ce of the bulb.
			1492	and the same of the
SY-2	-24	1		. 41-42

For Free Carrier Counselling contact :+91 8891314091

В.	An	nswer any 2 questions from 18 to 20. Each carries 2 scores.	BR 100(2)	$\times 2 = 4$
18		fra-red waves are also referred to as heat waves. Why?	(Starta) I do	
			(8)	
		5 c \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	(1)	
19.	. (i)	What is a solenoid? The total of the second	0 1 6 o	(1)
	(ii)	) Write down the equation for magnetic field inside a solenoid.	1	
	, , ,	magnetic field inside a solenoid.	(a)	(1)
		Y. (b)	·	
20.	. Ex	xplain earthing.		
		് പ്രവാര എല്ലാ പോദ്യത്താൾ ഒരു ഉത്തരമെഴുതുക. 1 സ്പോര വിര	Environce 01:	.8
	" X 1			
	16	ചക്തി ചാവ് ക്രത്തിലെ ഉപത്തെക്കാട്ട് പ്രത്യാത്തിലെ പ്രത്യാത്തിലെ ക്രത്യാത്തിലെ ക്രത്യാത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്ത്	്യൂലാരര സ്വേഹ	
<b>A.</b>	An	nswer any 3 questions from 21 to 24. Each carries 3 scores.	(3 x :	3 = 9)
21.	Wr	rite down any three properties of an equipotential surfaces.	i Janggeo	11
	. of ra	en vervoger anger en orden en e		
20				57
<i>2</i> 2.	(i)	SI unit of resistance is Acade my	do (1)	(1)
	(ii)	Obtain the equivalent value of resistance when two resistors R <sub>1</sub> a	nd R <sub>2</sub> are	
		connected in series.	(c) (d)	(2)
		്യായിലുള്ള പ്രത്യായില് പ്രത്യാ പ്രത്യായില് ആര്യായുന്നു വ	apira	£1.
ź3.	(i)	The angle between magnetic meridian and geographic meridian is		(1)
 	(ii)	The declination is (higher/smaller) at higher lattitudes a	nd	A
	4.	(higher/smaller) near the equator.		(2)
		ത്രു പ്രവുദ്ധം പ്രവുദ്ധം വിശാദ്യാം പ്രവുദ്ധം വിശാദ്യാം പ്രവുദ്ധം വിശാദ്യാം പ്രവുദ്ധം പ്രവുദ്ധം പ്രവുദ്ധം പ്രവുദ	1	5.4
24.	(i)		15106	-G-1
27.	(1)	If f = 0.5 m, for a glass lens, what is the power of the lens?		(1)
	(ii)	The radii of curvature of the faces of a double convex lens are 10 cm a	nd 15 cm.	
, å	p-alit	Its focal length is 12 cm. What is the refractive index of glass?		(2)
SY-2	4	6	4 ;	15

B.	Ans	wer any 2 questions from 25 to 27. Each carries 3 scores. $(2 \times 3)$	3 = 6)
25.		Draw the energy level diagram for hydrogen atom and mark the transition corresponding to Balmer series.	(2)
	(ii)	Name the spectral series which lies in the ultraviolet region of the spectrum.	(1)
26.	(i)	What is meant by the threshold frequency of a photosensitive metal?	(2)
	(ii)	Draw the graph showing the variation of stopping potential with frequency.	(1)
27.	Nuc Exp	clear reactor is a device used to initiate and control a nuclear chain reaction.	.115
		PART – IV	
A.	Ans	wer any 3 questions from 28 to 31. Each carries 4 scores. $(3 \times 4 =$	12)
28.	(i)	SI unit of capacitance is	(1)
	(ii)	Two capacitors C <sub>1</sub> and C <sub>2</sub> are connected in series. Derive an expression for the capacitance of the combination.	(3)
<b>2</b> 9.	(i)	Which law help us to find the magnetic field on the axis of a circular current loop?  Outstanding Guidance for Youth	(1)
	(ii)	Consider a tightly wound 100 turn coil of radius 10 cm, carrying current of 1 A. What is the magnitude of the magnetic field at the centre of the coil?	(3)
30.	(i)	Which is the working principle of an a.c. generator?	(1)
	(ii)	With the help of a diagram explain the working of a.c. generator.	(3)
31.	(i)	Identify the logic gate.	(1)
	(ii)	Write down the truth table of this gate.	(2)
	(iii)	Why this gate is also called universal gate?	(2)
SY-2	24		(1)

Answer any 1 question from 32 to 33. Each carries 4 scores. Using Huygen's principle, explain refraction of a plane wave, with the help of a diagram. State the principle of working of a transformer. 33. (i) (1)Explain briefly any three energy losses in a transformer. (ii) (3)PART - V Answer any 2 questions from 34 to 36. Each carries 6 scores.  $(2 \times 6 = 12)$ Write down the wheatstone bridge principle. 34. (i) (1) A meter bridge circuit is given below. (ii) dandardardardardard Metre Scale R – unknown resistance Outstan Sinknown desistance r Youth Using this circuit, derive an expression for finding the unknown resistance. **(2)** (iii) In the above circuit, the balance point is found to be at 40 cm from the end A. when the resistance S is of  $12\Omega$ . Determine the resistance R. **(2)** Would the galvanometer show any current if the galvanometer and cell are interchanged? **(1)** *3*5. State Gauss's law. (i) **(2)** (ii) What is meant by a Gaussian surface? **(1)** Using Gauss's law, find the electric field due to a uniformly charged thin (iii) spherical shell at a point outside the shell. (3) State Laws of refraction. (i) 36. **(2)** Obtain a relation for the total deviation produced for a ray incident on a prism (ii) with the help of a ray diagram.

(4)